

bebionic hand.

Patient Information and Order Form.

Customer

Customer no.

Company

Street

City State/Province

Zip/Postal code Country

Clinician

Shipping address (if different from customer address)

Customer no.

Company

Street

City State/Province

Zip/Postal code Country

Prosthesis user

Name

Amputation side

 Left Right

Serial number of the previous hand:

- Initial fitting
- Follow-up fitting (user was previously fit with a *bebionic hand*)

bebionic hand main components



System: bebionic hand with EQD wrist (quick disconnect)

Article no.	Side	Size	Color
<input type="radio"/> 8E70=L-S-* -1	Left (L)	Small	<input type="radio"/> Black <input type="radio"/> White
<input type="radio"/> 8E70=L-M-B-1	Left (L)	Medium	<input type="radio"/> Black
<input type="radio"/> 8E70=R-S-* -1	Right (R)	Small	<input type="radio"/> Black <input type="radio"/> White
<input type="radio"/> 8E70=R-M-B-1	Right (R)	Medium	<input type="radio"/> Black



System: bebionic hand with short wrist

Article no.	Side	Size	Color
<input type="radio"/> 8E71=L-S-* -1	Left (L)	Small	<input type="radio"/> Black <input type="radio"/> White
<input type="radio"/> 8E71=L-M-B-1	Left (L)	Medium	<input type="radio"/> Black
<input type="radio"/> 8E71=R-S-* -1	Right (R)	Small	<input type="radio"/> Black <input type="radio"/> White
<input type="radio"/> 8E71=R-M-B-1	Right (R)	Medium	<input type="radio"/> Black



System: bebionic hand with flex wrist (three-stage wrist)

Article no.	Side	Size	Color
<input type="radio"/> 8E72=L-S-* -1	Left (L)	Small	<input type="radio"/> Black <input type="radio"/> White
<input type="radio"/> 8E72=L-M-B-1	Left (L)	Medium	<input type="radio"/> Black
<input type="radio"/> 8E72=R-S-* -1	Right (R)	Small	<input type="radio"/> Black <input type="radio"/> White
<input type="radio"/> 8E72=R-M-B-1	Right (R)	Medium	<input type="radio"/> Black

Notice: B = Black, W = White

bebionic hand.

Patient Information and Order Form.

Additional components

Hand adapter

Article no.	Description
● 10S1=45	Lamination ring for SM hands (diameter: 45 mm)
● 10S1=50	Lamination ring for MD hands (diameter: 50 mm)
● 13E190	Switch block (only for short wrist)
● 13E190=150	Switch block (only for short wrist)

Passive rotation

Article no.	Description
● 10S4	Coupling piece
● 9E169	Coaxial plug

Active rotation

Article no.	Description
● 10S17	Electric rotator
● 13E205	MyoRotronic*

*Not required in combination with *Myo Plus*

bebionic Skin Silicone glove

Article no.	Side	Size	Color
● 8S711	● Left (L) ● Right (R)	● S ● M ● L**	● 02 ● 03 ● 04 ● 06 ● 09 ● 11 ● 14 ● 16
● 8S710	● Left (L) ● Right (R)	● S ● M ● L**	● 20 (jet black glove)

**L (only for Steeper *bebionic* large hands already in the field)

Battery management

Article no.	Description	Qty
● 757L35	MyoCharge Integral	_____
● 757L43	USB Adapter for charging (optional)	_____
● 757B35=	MyoEnergy Integral -3 ● 1,150 mAh -4 ● 2,350 mAh -5 ● 3,450 mAh	_____ _____ _____

Electrodes*

Article no.	Description	Frequency	Qty
● 13E200	Standard electrodes	● 60 Hz	_____
● 13E202	Suction socket electrodes	● 60 Hz	_____

Electrode cable*

Article no.	Cable length	Qty
● 13E129	● G300 ● G600 ● G1000	_____

Tube valve

Article no.	Qty
● 12V10	_____

PVC connection tube

Article no.	Qty
● 99B13=21	_____

Warranty concept for the bebionic (Care packages, optional)

Article no.	Description
● SP-8E7=3-CP	● 3 years warranty
● SP-8E7=5-CP	● 5 years warranty
● SP-8E7=3+2-CP	● Warranty extension to 5 years

Optional accessories

Article no.	Description	Qty
● B33061	Bluetooth Dongle	_____
● 560X12=V1.6	Ottobock bebalance+ software	_____
● 640F12	Special cleaner (for glove)	_____
● 640F13	Pump sprayer	_____
● OC1560=TR	Donning sheath	_____
● OC1560=TH	Donning sheath	_____
● OC1560=Kids	Donning sheath	_____

For transhumeral fitting*

DynamicArm

Article no.	Color
● 12K100N=45	● 04 (standard) ● 07 (black)
● 12K100N=50	● 04 (standard) ● 11 ● 15 ● 07 (black)

DynamicArm Plus

Article no.	Color
● 12K110N=45	● 04 (standard) ● 07 (black)
● 12K110N=50	● 04 (standard) ● 11 ● 15 ● 07 (black)

Carbon shell

Article no.
● 13Z157=45
● 13Z157=50

Warranty concept (Care packages, optional)

Article no.	Description
● SP-12K100N=3-CP	3-year warranty for DynamicArm
● SP-12K110N=3-CP	3-year warranty for DynamicArm Plus
● SP-12K100N=5-CP	5-year warranty for DynamicArm
● SP-12K110N=5-CP	5-year warranty for DynamicArm Plus
● SP-12K100N=3+2-CP	Extension of warranty to 5 years
● SP-12K110N=3+2-CP	Extension of warranty to 5 years

Notice: The warranty extension can be obtained up to 36 months after the delivery date.

ErgoArm Electronic Plus

Article no.	Color
● 12K50=45	● 04 (standard) ● 07 (black)
● 12K50=50	● 04 (standard) ● 11 ● 15 ● 07 (black)

ErgoArm Hybrid Plus

Article no.	Color
● 12K44=45	● 04 (standard) ● 07 (black)
● 12K44=50	● 04 (standard) ● 11 ● 15 ● 07 (black)

*Not required in combination with *Myo Plus*

Myo Plus pattern recognition.
bebionic hand Order Form.



13E520 Myo Plus TR

Article no.	Description	Qty
● 13E520	Myo Plus TR	_____



13E400=* Remote electrode

Article no.	Description	Connection	Length	Frequency	Qty
● 13E400=G90	Remote electrode	2-pin	90 mm	● 60 Hz	_____
● 13E400=G140	Remote electrode	2-pin	140 mm	● 60 Hz	_____

Notice: Six of the 13E400=* remote electrodes are recommended per fitting.



13E401=* Remote electrode

Article no.	Description	Connection	Length	Frequency	Qty
● 13E401=G90	Remote electrode	3-pin	90 mm	● 60 Hz	_____
● 13E401=G140	Remote electrode	3-pin	140 mm	● 60 Hz	_____

Notice: Two of the 13E401=* remote electrodes are recommended per fitting.



Electrode dome

Article no.	Description	Package
● 13Z161	Electrode dome, flat (package contents: 6 pcs), height: 2.2 mm	_____
● 13Z162	Electrode dome, medium (package contents: 6 pcs), height: 3.5 mm	_____
● 13Z163	Electrode dome, high (package contents: 6 pcs), height: 4.2 mm	_____

Notice: a total of 3 packing units (18 pcs) are needed per recommended fitting configuration.

Date

Customer Office

Signature