

Prosthetics Suggested Coding. Table of Contents.

| Prosthetics | Page |
|---|------|
| Feet | 2 |
| Hip Joints | 3 |
| Knees | 4 |
| Lower Limb Accessories (Pylons, Batteries, Chargers, Protective Covers) | 4 |
| Pediatric Knees | 6 |
| Socket Technology | 6 |
| Upper Extremity Accessories | 7 |
| Upper Extremity Body Powered | 8 |
| Upper Extremity Myoelectrics and Hybrid | 9 |
| Upper Extremity Pediatric | 11 |

If you need help

Contact the Ottobock Reimbursement Team

- · Call 800-328-4058 and ask for Reimbursement
- Email your request to reimbursement911@ottobock.com

Revision Effective

August 16, 2024

Disclaimer

The product/device "Supplier" (defined as an O&P practitioner, O&P patient care facility, or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for services/products delivered. It is also recommended that Supplier's contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information or alpha-numeric system changes. Restrictions to Coding and Coverage may apply.

| Item | Description | Suggested HCPCS Coding: |
|-------|-------------------------------|--|
| Feet | | |
| 1A1-2 | Empower | L5973 + L5969 (Contact Reimbursement for assistance OR if payer do not list L5969) |
| 4422 | | See Empower Reimbursement Guide |
| 1A30 | Greissinger Plus Foot HH 10mm | L5972 + L5986 |
| 1A31 | Greissinger Plus Foot only | L5972 |
| 1B1 | Meridium | PDAC Verified OPDAC Verified |
| 1C11 | Terion K2 | L5972 + L5986 |
| 1C20 | ProSymes | L5981 |
| 1C30 | Trias | L5981 + L5986 |
| 1C40 | C Walk | L5981 |
| 1C50 | Taleo | PDAC Verified OPAC Verified |
| 1C51 | Taleo VS | PDAC L5987 + L5986 |
| 4052 | - 1 | PDAC verified |
| 1C52 | Taleo Harmony | PDAC Verified VDAC Verified PDAC Verified |
| 1C53 | Taleo LP | L5981 |
| 1C56 | Taleo Adjust | PDAC // L5981, L5990 |
| | | Verified Verified |
| 1C58 | Taleo Side Flex | PDAC Verified Verified PDAC Verified |
| 1C59 | Taleo Adapt | PDAC Verified Verified |
| 1C60 | Triton | PDAC L5981 |
| 1C61 | Triton VS | PDAC Verified PDAC Verified PDAC Verified |
| 1C62 | Triton H | PDAC Verified PDAC Verified PDAC Verified PDAC Verified |
| 1C63 | Triton LP | L5981 |
| 1C64 | Triton HD | |
| | | Verified Verified |
| 1C68 | Triton side flex | Verified L5981 + L5986 PDAC Verified |
| 1C70 | Evanto | L5981 + L5986 |
| 1D10 | Dynamic Foot with Toes | L5972 |
| 1D11 | Dynamic Foot Women 20mm Toes | L5972 |
| 1D35 | Dynamic Motion | L5979 |
| 1E2 | ProCarve Foot | L5999 Addition to LL Prosthesis, Ottobock 1E2 Procarve Foo MSRP\$ See Coding-Billing Tips by visiting ProCarve Foot at shop.ottobock.us PDAC Verified |
| 1E56 | Axtion Prosthetic Foot | L5981 |
| 1E57 | Lo Rider 09mm HH | L5981 |
| 1E58 | Axtion DP | PDAC Verified Verified |
| 1E81 | Chopart 09mm HH | L5976 |
| 1E87 | Pediatric Chopart 06mm HH | L5976 |
| 1E90 | Springlite Sprinter | PDAC Verified C L5999 Addition to LL Prosthesis, Ottobock 1E90 Sprinter Foo MSRP\$ See Coding-Billing Tips by visiting 1E90 Sprinter Foot at shop.ottobock.us PDAC Verified |

| Item | Description | | Suggested HCPCS Coding: |
|-----------------------------------|--|-------------------|--|
| 1E91 | Runner | PDAC | L5999 |
| | | Verified Verified | Addition to LL Prosthesis, Ottobock 1E91 Runner Foot |
| | | | MSRP\$ See Coding-Billing Tips by visiting 1E91 |
| | | | Runner Foot at shop.ottobock.us |
| | | | PDAC Verified |
| 1E93 | Runner junior | | L5999 |
| 1193 | | PDAC Verified | |
| | | vermed C | Addition to LL Prosthesis, Ottobock 1E93 Runner Jr Foo |
| | | | at MSRP\$ See Coding-Billing Tips by visiting 1E93 |
| | | | Runner Jr Foot at shop.ottobock.us |
| | | | PDAC Verified |
| 1E95 | Challenger | PDAC | L5981 |
| | | Verified V | PDAC Verified |
| 1G6 | Cosmetic Light Foot with Toes | | Included in base code |
| | | | For Replacement use L5971 |
| 1H38 | Single Axis Foot only Men 10mm Toes | | L5974 |
| | • | | |
| 1H40 | Single Axis Foot Only | | L5974 |
| 1K10 | Otto Bock Dynamic Foot for Children | | L5972 |
| 1M10 | 1M10 Adjust incl Footshell | | L5972 + L5986 |
| 1P9 | Pirogoff Foot | | L5970 |
| 1S101 | SACH Foot | | Included in base code |
| | | | For Replacement use L5971 |
| 1S30 | SACH Foot Child Medium | | Included in base code |
| | | | For Replacement use L5971 |
| 1\$66 | SACH Foot Men 18mm Toes | | Included in base code |
| 1300 | SACH FOOL MEILISIIIII TOES | | |
| | | | For Replacement use L5971 |
| 1WR95 | Foot for water resistant prosthesis | | L5972 |
| 2C15 | Taleo Foot Shell | | Initial included in foot code, Replacement L5999 |
| 2C70 | Evanto Footshell | | Initial included in foot code, Replacement L5999 |
| 2C8 | Taleo Adjust/Adapt Footshell | | Initial included in foot code, Replacement L5999 |
| 2Z500 | Sole Kit for the 1E90 Sprinter | | Initial L5999 |
| | | | Replacement: L7510 |
| 2Z501 | Sole Kit w/ Spikes for the 1E90 Sprinter | | Initial L5999 |
| 22501 | Sole kit wy spikes for the 1250 spiniter | | |
| 27540 6 | | | Replacement: L7510 |
| 2Z540=6 | Allround Sole for Runner | | Initial L5999 |
| | | | Replacement: L7510 |
| 2Z541=6 | Spike Pad for Runner | | Initial L5999 |
| | | | Replacement: L7510 |
| F21 | Maverick Xtreme AT | | L5981 |
| F22 | Maverick Comfort AT | | L5981, L5986 |
| F23 | Maverick VS | | L5987 + L5986 |
| 125 | | Verified Verified | PDAC Verified |
| 562 | Defender | | |
| FS3 | Defender | | L5981 |
| FTC-2A-1xxxx-S* | Foot Shell, Maverick | | L7510 for replacement |
| FTC-2B=* /3B=* | Foot Shell, K2 | | L7510 for replacement |
| FTC-2H=* /-2M=* | Foot Shell Generation 2 | | L7510 for replacement |
| FTC-3A-1* | Foot Shell, Maverick | | L7510 for replacement |
| FTC-3M-0* /-1* | Foot Shell, Generation 3 | | L7510 for replacement |
| FX6 | Catapult Running | | L5999 |
| FX6-PS* | Catapult Power Spring Repl | | L7510 for replacement |
| KIT-00-11* /113* /114* /121*/141* | | | • |
| | Heel Wedges | | L7510 for replacement |
| KIT-00-12201-00 | Heel Wedges | | L7510 for replacement |
| KIT-00-20000-00 | Protective Ankle Cover for Freestyle Swim | | L7510 for replacement |
| LP2-W2 | Freestyle Swim | | L5981 |
| R11 | Renegade AT | | L5981 |
| R16 | Renegade LP-AT | | L5981 |
| VS4 | Kintrol | | L5972, L5968 |
| VS5 | | | |
| | Restore | | L5972, L5986 |
| Hip Joints | | | |
| | Helix3D Hip Joint | PDAC | L5331/L5341 (Base) + L5961 |
| 7E10 | | Verified 💟 | PDAC Verified |
| 7E10 | | vernieu | PDAC Vernieu |
| 7E10 7E4 | Modular Hip Joint -Free Motion- | venneu | L5331/L5341 (Base) + L5855 |
| | Modular Hip Joint -Free Motion- Modular Single Axis Hip Joint | Venneu | |

| 7E8 7E9 | Modular Hip Joint-Child | L5331/L5341 (Base) + L5855 |
|--------------------|---|---|
| 7E9 | | |
| · | Hydraulic Hip Joint | Private Payer: L5331/L5341 (Base) + L5999 |
| Knees | | |
| 3B1 | Genium | Private Payer: L5999 |
| 3B5-3 | Genium X3 | Private Payer: L5999 |
| 3B5-4 | Genium X4 | Private Payer: L5999 |
| 3C60 | Kenevo | |
| 5000 | Kenevo | Verified VDAC Verified |
| 3C88/3C98 | C-Leg 4 (new-with manual lock) | PDAC Verified OPAC Verified |
| 3P19 | Knee-Shin Component | included in L5200 base code |
| 3P4 | Knee-Shin Component | L5710 |
| 3R106 | Modular Knee Joint, servo-pneumatic | L5840 + L5850 |
| 3R15 | Single Axis Knee Joint, Break | L5812 + L5850 |
| | • • • • • • • • • • • • • • • • • • • | |
| 3R17 | Single Axis Knee Joint, Lock | L5810 + L5850 |
| 3R2 | ProCarve knee joint | L5830 + L5845 + L5848 + L5925 + L5930 |
| 3R30 | Polycntr. Knee Joint for KD, Titan. | L5611 + L5850 |
| 3R31 | Prosedo modular knee joint | L5811 + L5845 |
| 3R32 | Polycntr. Knee for KD, Lock,Titan. | L5816 |
| 3R33 | Single Axis Knee Joint, Lock, Titan. | L5811 + L5850 |
| 3R36 | Polycntr. Knee Joint, Titan. | L5611 + L5850 |
| 3R40 | Lightweight Knee Joint, Lock | L5811 |
| 3R41 | Modular Knee Joint | L5811 |
| 3R46 | Polycntr. Knee Joint for KD, Titan. | L5613 |
| 3R49 | Single Axis Knee Joint, Brake Titan. | L5812 + L5850 |
| 3R55 | Polycntr. Hydr. Knee Joint, Titan. | L5613 |
| 3R60 | Modular Polycentric EBS Knee Joint | PDAC (5814 + L5845 + L5848 |
| 51.00 | Modular Polycentric Lbs Knee Joint | Verified PDAC Verified as L5814 + L5848 |
| | EBS-PRO-Knee | |
| 3R60-PRO | EBS-PRO-Knee | PDAC Verified OF L5845 + L5848 |
| 25.62 | | PDAC Verified as L5814 + L5848 |
| 3R62 | Pheon - Modular Knee Joint | L5611 + L5845 + L5850 + L5925 |
| 3R78 | Modular Knee Joint, pneumatic | L5840 + L5850 |
| 3R80 | Modular Knee Joint with Rotary Hydraulic | PDAC Verified Verified L5828 + L5845 + L5850 + L5925 PDAC Verified |
| 3R85 | Dynion | L5828, L5845, L5850, L5925, L5848 |
| 3R90 | Comfort-Brake Knee (mech Ext. Assist) | L5812 + L5845 + L5850 |
| 3R92 | Comfort-Brake Knee (pneumatic system) | L5822 + L5845 + L5850 |
| 3R93 | Modular Brake Knee Joint with Lock | L5812 + L5845 + L5850 + L5925 |
| 3R95 | Lightweight Hydraulic Knee | L5826 |
| 3580 | Modular Sports Knee | L5824 + L5925 + L5930 |
| 3WR95 | • | |
| | Aqua Knee | L5826 + L5925 |
| | ries (Pylons, Batteries, Chargers, Protective Covers) | |
| 1288 | Opra Axor II Connection Device | L5991 |
| | | (Contact Reimbursement for assistance OR if payer doe |
| | | not list L5991) |
| 2R102 | Titanium Clamp (34mm) | L5940 (BK), L5950 (AK) or L5960 for (hip) |
| 2R17 | AXON Tube Adapter | L7510 for replacement |
| 2R19 | AXON Tube Adapter | L7510 for replacement |
| 2R20 | AXON Tube Adapter | L7510 for replacement |
| 2R21 | AXON Tube Adapter with Torsion | Initially included in MP Knee code + L5984 for torsion |
| | | unit For Replacement use L7510 |
| 2R49=AL | Tube Adapter | Initally included in L5856 or L5858 |
| 2117 <i>3-1</i> 12 | iddendapter | For Replacement use L7510 |
| 2057 | Tubo Adaptor | • |
| 2R57 | Tube Adapter | Initial: Included in Knee code |
| 2007 | The Advances of The State | Replacement: L7510 |
| 2R67 | Tube Adapter with Torsion | Initial: included in Knee code + L5984 for torsion unit Replacement: L7510 |
| 2R81 | C-Leg Tube Adapter with Torsion Unit | Initally included in L5856/L5858 plus L5984 for the Torsion unit |
| | | For Replacement use L7510 |
| | | i or replacement use L/STO |

| Item | Description | Suggested HCPCS Coding: |
|----------------|---|--|
| 2R82 | Tube Adapter | Initially included in L5856 or L5858 |
| | | For Replacement use L7510 |
| 3F1=1 | Functional Cosmesis C-Leg | Initial: L5705 (requires Functional Stocking = 99B120*) Replacement: L7510 |
| 3F1=1-N | Functional Cosmesis C-Leg (knee part) | Replacement: L7510 |
| 3F1=2 | Functional Cosmesis Genium | Initial: L5705 (requires Functional Stocking = 99B120*) |
| | | Replacement: L7510 |
| 3F1=2-N | Functional Cosmesis Genium (knee part) | Replacement: L7510 |
| 3R24 | Foam Cover, AK | L5705 |
| 3R48 | Foam Cover, AK/HD | L5705 AK / L5707 HD |
| 3S106* /124* | Foam Cover, AK | L5705 |
| 3S107 | Foam Cover, AK/KD | L5705 AK / L5706 KD |
| 3S26=* | Foam Cover, AK | L5705 |
| 3S27=* | Foam Cover, Hip | L5707 |
| 4E60 | Inductive Charger | Replacement: L7368 (includes 757L16-4 AC Adapter) |
| 4E70 | Inductive Charger | Replacement: L7368 (includes 757L16-4 AC Adapter) |
| 4P862 | C-Leg Guard w/ Shield | Private Payer: L5999 (includes 4P863=* Shield Insert) |
| 4P863=* | Shield Insert (replacement) | Initial: included in protective cover code Replacement: L7510 |
| 4R11 | Quickchange (connecting + base element) | L5617 |
| 4111 | Quickchange (connecting + base element) | Replacement: L5617 |
| 4R11=P-1-1 | Quickchange connecting element with pyramid | L5617 (when used w/base element) |
| 4811=2-1-1 | Quickchange connecting element with pyramid | Replacement: L5617 (for complete Quickchange) |
| | | |
| | | Replacement: L7510 (for base element only) |
| 4011-0 1 1 | Quickshance compacting along out with supervisid second | Additional limb component: L5999 |
| 4R11=R-1-1 | Quickchange connecting element with pyramid rece | L5617 (when used w/base element) |
| | | Replacement: L5617 (for complete Quickchange) |
| | | Replacement: L7510 (for base element only) |
| 4044-0.2.2 | Quiskshanna haas slamant | Additional limb component: L5999 |
| 4R11=R-3-2 | Quickchange base element | L5617 (when used w/connecting element) Replacement: L5617 (for complete Quickchange) |
| | | |
| | | Replacement: L7510 (for connecting element only) |
| | | Additional limb component: L5999 |
| 4R11=ST-1-1 | Quickchange connecting element with thread | L5617 (when used w/base element) |
| | | Replacement: L5617 (for complete Quickchange) |
| | | Replacement: L7510 (for base element only) |
| | | Additional limb component: L5999 |
| 4R11=ST-2-1 | Quickchange connecting element with thread for mo | L5617 (when used w/base element) |
| | | Replacement: L5617 (for complete Quickchange) |
| | | Replacement: L7510 (for base element only) |
| | | Additional limb component: L5999 |
| 4R120 | DeltaTwist | L5988 + L5984 |
| 4R39 | Torsion Adapter | L5984 |
| 4R40 | Torsion Adapter | L5984 |
| 4R57, 4R57=WR | Rotation Adapter | L5926 |
| | | (contact Ottobock Reimbursement if your payer does not have L5926 on their fee schedule) |
| 4R82 | Titanium Adapter (34mm) | L5940 (BK), L5950 (AK) or L5960 for (hip) |
| 4R85 | Torsion Adapter | L5984 |
| 4R86 | Torsion Adapter | L5984 |
| 4X160 | C-Leg Protector | Private Payer: L5999 |
| | Kenevo Protective Cover | Private Payer: L5999 |
| 4X840 | | Private Payer: L5999 (includes 4P863=* Shield Insert) |
| 4X840 4X860 | C-Leg Protective Cover w/Shield | , , , , , , , , , , , , , , , , , , , |
| 4X860 | C-Leg Protective Cover w/Shield C-Leg Protective Cover | Private Payer: L5999 (includes 4P863=* Shield Insert) |
| | | · · · |

| Item | Description | Suggested HCPCS Coding: |
|--------------------|--|---|
| 6R7 /8* /18* | Foam Cover, BK | L5704 |
| 757B38 | Empower Battery | Initial included in L5973 |
| | | Replacement: L7367 |
| 757L16-4 | AC Acapter | Replacement: L7510 for adapter only |
| 757L38 | Empower Charger | Initial included in L5973 |
| 7571.00 | | Replacement: L7368 |
| 757L39 | Empower Charger Power Supply Cord | Initial included in L5973 |
| | | Replacement: L7368 (when combined with 757L38) |
| | | Replacement: L7510 (if purchased without 757L38) |
| 99B116 | SoftTouch Protective Outer Surface Cover | L5962 |
| 99B120=* | Functional Stocking | Replacement: A4467 |
| 99B14 | Cosmetic Stockings | A4467 |
| 99B16 | Cosmetic Stockings | A4467 |
| Pediatric Knees | | |
| 3R38 | Single Axis Knee Joint Children | L5850 |
| 3R39 | Knee Joint Children, Lock | L5811 |
| 3R65 | Single Axis Knee Joint, Children | L5826 |
| R66 | Polycntr. Knee Joint, Children | L5611 + L5850 + L5984 |
| 3R67 | Children's knee joint | L5814 |
| ocket Technology | · ······ | |
| 21A37 | Cable Housing | L5695 |
| 21Y12 | Threaded Valve W/Housing | L5647 or L5652 or L6686 |
| 1Y14 | Push Valve | L5647 or L5652 or L6686 |
| 1Y2=M10 | QuickValve | L5647 or L5652 or L6686 |
| 21Y21 | Click Valve | L5647 or L5652 or L6686 |
| 151F10 | Prosthetic Shrinker Sock - TT - CCL2 | L8440 |
| 151F11 | AK Prosthetic Shrinker | L8460 |
| 151F18 /19 | Sock w/ Hole | L8420 (BK) or L8430 (AK) |
| 151F21=* | Nylon Sheath | L8400 (BK) or L8410 (AK) |
| 151F24 /25/ 26 /27 | Thin-Thick Prosthetic Sock - Multiply | L8420 (BK) or L8430 (AK) |
| 151F39 | Soft Sock X-Static | L8420 (BK) or L8435 (Upper Limb) |
| 151F4 | Special Prosthetic sock | L8400 (BK) or L8410 (AK) |
| 151F6 | Special Prosthetic sock | L8420 (BK) or L8430 (AK) |
| 152A1 | ProSeal Ring | L5652 (socket code) |
| 153A1 | Derma Protection ArmComfort | L7499 - suspension/sealing sleeve, with or without |
| 5571 | Dema Potection Anneomore | valve, any material; Similar to L5685 |
| 153A2 | Derma Protection Knee Comfort | L5685 |
| 153A3 | Derma ProFlex | L5685 |
| 53A30 | ProFlex Plus Sleeve - regular | L5685 |
| 153A4 | Derma ProFlex short | L5685 |
| 53A40 | ProFlex Plus Sleeve - short | L5685 |
| 153D2 /D4 /D5 | Derma Seal Gel Sock | L8417 |
| 54A7 | Harmony Sleeve | L5685 |
| I54A8 | Harmony Tapered Sleeve | L5685 |
| IR144 | Harmony P2 | L5781 + L5984 + L5988 |
| IR147=K | Harmony P3 | L5781 + L5984 + L5988 |
| R152 | Harmony E2 | L5781 |
| R160 | Delrin KISS Kit | L5671 |
| IR180 | Harmony P4 Vacuum Pump | L5781 + L5984 + L5988 |
| R181 | Harmony P4 Vacuum Pump HD | L5782 + L5984 + L5988 |
| R182 | Harmony P4 Modular | L5781 + L5984 + L5988 |
| R183 | Harmony P4 HD modular | L5782 + L5984 + L5988 |
| R220 | Dynamic Vacuum System | L5781 |
| 5A60 | Varos Socket -Pin | Definitive: L5321 + L5649 + L5920 + L5950 + L5671 |
| | | (+ L5673 for 6Y200 Varos Liner) Replacement: L5701 + L5649 + L5950 + L5671 |
| | | (+ L5673 for 6Y200 Varos Liner) |
| | | Preparatory: L5585 + L5649 + L5950 + L5671 |
| | | (+ L5673 for 6Y200 Varos Liner) |
| 5A100 | Pro Push Lock w/2 Plunger Pins | L5671 |
| 5A30=* | Shuttle Lock | L5671 |
| | | |

| Item | Description | Suggested HCPCS Coding: |
|---------------------------------------|---|---|
| 6S400 | EMS Multi-Surface Flexible Inner Socket | L5645 or L5651 or L5653 |
| 6Y100 | Hybrid Liner | L5679 |
| 6Y110 | Skeo Sealing Liner (TF/AK) | L5679 |
| 6Y111 | Skeo Sealing Liner (TF/AK) | L5679 |
| 6Y112 | Skeo Sealing TT Liner | L5679 |
| 6Y200=* | Varos Liner | L5673 |
| | | |
| 6Y400 | Custom BK Liner-Cast | L5681 or L5683 for initial liner |
| | | Additional/future liners from same mold: L5673 or |
| | | L5679 |
| 6Y41 | Skeo Pure (TT/BK) | L5679 |
| 6Y42 | Skeo (TT/BK) | L5673 |
| 6Y43 | Skeo Pure | L5673 |
| 6Y510 | Profile PUR Liner | L5679 |
| 6Y512 | Anatomic 3D PUR Liner | L5679 |
| | | |
| 6Y520 | Simplicity PUR Liner | L5679 |
| 6Y522 | Simplicity Tapered PUR Liner | L5679 |
| 6Y523 | Simplicity Tapered PUR Liner | L5679 |
| 6Y70 | Skeo (TT/BK) | L5673 |
| 6Y700 | Skeo Unique BK Standard | L5681 or L5683 for initial liner |
| | | Additional/future liners from same mold: L5673 or |
| | | L5679 |
| 6Y75 | Skeo Skinguard (TT/BK) | L5673 |
| | | |
| 6Y78 | Skeo 3D (TT/BK) | L5673 |
| 6Y80 | Skeo (TF/ AK) | L5673 |
| 6Y81 | ProSeal SIL Liner | L5679 |
| 6Y85 | Skeo Skinguard (TF/AK) | L5673 |
| 6Y88 | Skeo 3D (TT/BK) | L5673 |
| 6Y90 | Basic TPE Liner | L5673 |
| 6Y92 | TPE Liner | L5679 |
| 6Y93 | Balance TPE Liner | Cushion Liner: L5679 Locking Liner: L5673 |
| | | |
| 6Y94 | Liner – Dynamic Vacuum | L5679 |
| 6Y95 | Caleo 3D | Cushion Liner: L5679 Locking Liner: L5673 |
| Upper Extremity | | |
| 12K20 | Elbow Set-Up | Included in base code |
| 12K39 | Automatic Forearm Balance (AFB) | L6693 |
| 13E200 | Electrode | Included in base code |
| | | Use L7510 for replacement |
| 13E202 | Suction Socket Electrode | Included in base code |
| 132202 | Suction Socket Electrode | |
| 425205 | | Use L7510 for replacement |
| 13E205 | MyoRotronic | Included in base code |
| | | Use L7510 for replacement |
| 13E210 | Power Pack for Dynamic Arm | Initial included in base code |
| | | Replacement use L7367 |
| 13G9=59 | Upper Arm Rotation Piece | Included in base code |
| 13R1=L | Modular Elbow Joint | Included in base code |
| 14A1 | Lock Set | L6698 |
| | | |
| 14Y5 | Silicone Arm Liner with CVD coating | L6694 |
| 16X4 | Stainless Steel Elbow Joint Bars | For transradial use L6605 |
| | | Elbow disarticulation and above elbow are included in |
| | | the base code |
| 21A47 | Active TH Harness | L6672 |
| 21A48 | Armloop for 21A47 | Suggested HCPCS Coding: Included in the harness code |
| _ | | (L6672) |
| | | Replacement: L7510 |
| | | |
| 6Y455 | Custom Liner Upper Extremity | For Initial use L6696 or L6697 |
| | | For other than initial use L6694 or L6695 |
| 757B13 | Interchangeable Battery | Initial included in base code |
| | | Replacement use L7360 |
| 757B15 | X-ChangePack | L7360 - Replacement Only |
| - | Otto Bock EnergyPack | L7367 - Replacement Only |
| 757B20 | | |
| | Otto Back EnergyPack | 17367 - Replacement Only |
| 757B21 | Otto Bock EnergyPack | L7367 - Replacement Only |
| 757B20 757B21 757B35 757B501 | Otto Bock EnergyPack MyoEnergy Integral AxonEnergy Integral | L7367 - Replacement Only L7367 L7367 |

| Item | Description | Suggested HCPCS Coding: |
|--------------------|---|---|
| 757L13 | Pulse Battery Charger | Initial included in base code |
| | | Replacement use L7362 |
| 757L14 | Pulse Battery Charger | Initial included in base code |
| /// | | Replacement use L7362 |
| 757L20 | Li-Ion Battery Charger | L7368 - Replacement Only |
| 757L24 | DynamicArm charger | L7368 |
| 757L35 | MyoCharge Integral | L7368 - Replacement Only |
| 757L500 | AxonCharge Integral | L7368 |
| 757L60 | Universal Charger | Initial included in base code |
| /3/100 | Universal Charger | Replacement use L7368 |
| 8511 | System Cosmotic Clove f. Adelescents (Men | L6890 |
| 8511 8511N | System Cosmetic Glove f. Adolescents/Men | L6890 |
| | MyoSkin Natural | |
| 8S12 | Cosmetic Glove - Women | L6890 |
| 8S12N | MyoSkin Natural | L6890 |
| 8S13 | Syst. Cosm. Glove f. Child./Adoles./Wom. | L6890 |
| 8S13N | MyoSkin Natural | L6890 |
| 8520 | Cosmetic Glove | L6890 |
| 8S20N | MyolinoSkin Natural | L6890 |
| 8S4 | Cosmetic Glove - Men | L6890 |
| 8S5 | Cosmetic Glove for Women | L6890 |
| 8S500 | AxonSkin - Glove | L6890 |
| 8S501 | AxonSkin Natural | L6890 |
| 8S502 | AxonSkin Natural | L6890 |
| 8S511 | AxonSkin Silicone Glove | L6890 |
| 856 | Cosmetic Glove | L6890 |
| 8Y1 | Pincer | L6810 |
| 9E370 | 4in1 Controller LS | Included in base code |
| 9E375=R | Switch | Included in base code for switch controlled device. Use |
| | | L6611 if added to Myo device |
| 9E420 | 7in1 Controller | Included in base code |
| 9X14 | Harness Pull Switch | Included in base code for switch controlled device. Use |
| 5/11 | | L6611 if added to Myo device |
| 9X18 | Cable Pull Switch | Included in base code for switch controlled device. Use |
| 5/10 | | L6611 if added to Myo device |
| 9X25 | Rocker Switch | Included in base code for switch controlled device. Use |
| 9725 | ROCKET SWITCH | L6611 if added to Myo device |
| 0.427 | Pressure Switch | Included in base code for switch controlled device. Use |
| 9X37 | Pressure Switch | |
| 0.450 | Linear Trevenhauer | L6611 if added to Myo device |
| 9X50 | Linear Transducer | Included in base code |
| | | Use L6611 when used as additional switch |
| 9X51 | 4-Step Transducer | Included in base code for switch controlled device. Use |
| | | L6611 if added to Myo device |
| 9X52 | Linear Transducer | Included in base code |
| | | Use L6611 when used as additional switch |
| 9X53 | 4-Step Transducer | Included in base code for switch controlled device. Use |
| | | L6611 if added to Myo device |
| OC1560 | Donning Sheath EasyFit Arm | L7600 |
| Upper Extremity Bo | dy Powered | |
| 10A30 | Adapter for 10V39 | L6616 |
| | | Adapter may be used with other terminal devices |
| 10A43 | Attachment Plate | L6616 |
| 10A56 | Attachment Plate with short Stud | L6616 |
| 10R3 | Adapter with Flexion | L6620 |
| 10R4=1/2"-20 | Hand Adapter | L6616 |
| 10R4=M12X1.5 | Adapter Plate | L6616 |
| 10R5 | Adapter | L6616 |
| 10V30 | Wrist Unit - Ratchet Type Rotation, short | L6615 + L6630 |
| 10V30 10V36 | Otto Bock Friction Wrist Unit | Included in base code |
| | | |
| 10V39 | MovoWrist Flex | L6624 |
| 10V8 | Wrist Unit - Ratchet Type Rotation | L6615 + L6630 |
| 42442 | | Attachment plate required to use L6615 |
| | Elbow Joint | Included in base code |
| 12A13 12K41 | ErgoArm | Included in base code |

| Item | Description | Suggested HCPCS Coding: |
|-----------------|---|--|
| 12K42 | ErgoArm plus | Base Code + L6693 |
| 12K49=50 | Forearm | Included in base code |
| 12K5 | Elbow Set-Up | Included in base code |
| 12R6 | Modular Kit Transhumeral | Included in base code |
| 12R7 | Modular Kit Shoulder Disarticulation | Included in base code |
| 12S6 | MovoShoulder Swing | L6646 |
| 13Z157 | Carbon Shell | Private Payer: L7499 |
| | | Contact reimbursement for assistance 800 328 4058 / |
| | | reimbursement911@ottobock.com |
| 21A35=1 | Triple-Control Above-Elbow Harness-Perlon | PDAC 6677 |
| | | Verified VDAC Verified |
| 21A35=2 | Triple-Control Above-Elbow Harness-Steel | PDAC L6677 + L6655 |
| | | Verified Verified for L6677 |
| 21A36 | Below-Elbow Harness | L6675 + L6655 |
| 8K19 | Otto Bock System Hand -passive- | L6708 |
| 8K23 | Otto Bock System Hand -voluntary opening | L6708 |
| 8K27 | Otto Bock System Hand -voluntary closing | L6709 |
| 857 | passive inner Hand | L6703 |
| 858 | Inner Hand for Women | L6703 |
| 859 | Inner Hand for Children | L6703 |
| Upper Extremity | Myoelectrics and Hybrid | |
| 1051 | Lamination Ring | If used with coupling (10S4): L6629 |
| 10S17 | Electric Wrist Rotator | L7259 |
| 10S4 | Coupling Piece | If used with lamination ring (10S1): L6629 |
| 10V38 | MyoWrist Transcarpal | L6621 |
| 10V40 | MyoWrist 2Act | L6621 |
| 11547 | Quick Disconnect Adapt w/ 1/2"-20 | L6628 |
| 12K100 | DynamicArm | Base Code + L6693* |
| | | Add L7180 for Sequential Ctrl/L7181 for Simultaneous Ctrl |
| | | *A-N Panel issued add-on code L6693 for DynamicArm's forearm counterbalance feature in 2007 |
| 12K102 | Forearm with Sensor | Included in base code |
| 12K110 | DynamicArm Plus | Base Code + L6693* |
| | | Add L7181 for Simultaneous Ctrl |
| | | *A-N Panel issued add-on code L6693 for DynamicArm's forearm counterbalance feature in 2007 |
| 12K44 | ErgoArm Hybrid plus | Base Code + L6693 |
| 12K50 | ErgoArm Electronic plus | Base Code + L6693 + L6638 |
| 12K501 | AxonArm Ergo | Private Payer: Base Code + L6693 + L6638 + L7499 |
| 12V10 | Tube Valve for Suction Socket | Code socket with L6686 |
| 13E100 | AnalogAdapter | Included in base code |
| 192100 | , independent | Use L7510 for replacement |
| 8E33 | System Electric Greifer DMC VariPlus | L7009 + L6882 + L6621 |
| 0233 | System Electric Grener Divie van has | (L6629 may be added to the prosthesis for a lamination |
| | | collar with coupling used for quick disconnect for |
| | | terminal device interchange, cleaning, servicing, etc.) |
| 8E34=9-1 | System Electric Craifer DMC VeriDue | L7009 + L6882 + L6621 |
| 8E38=6 | System Electric Greifer DMC VariPlus System Electric Hand DMC Plus with QD Wrist | L7007 + L6882 |
| 8638-0 | System Electric Hand Divic Plus with QD Wrist | |
| | | (L6629 may be added to the prosthesis for a lamination collar with coupling used for quick disconnect for terminal device interchange, cleaning, or servicing) |
| 0520 7 | System Electric Hand Digital Twin with QD Wrist | L7007 + L6882 |
| 8E38=7 | - | |
| 8E38=7 | | (L6629 may be added to the prosthesis for a lamination |
| 8E38=7 | | (L6629 may be added to the prosthesis for a lamination collar with coupling used for quick disconnect for |

| Item | Description | Suggested HCPCS Coding: |
|------------------|---|---|
| 3E38=8 | SensorHand Speed with QD Wrist | L7007 + L6881 + L6882 |
| | | (L6629 may be added to the prosthesis for a laminatior |
| | | collar with coupling used for quick disconnect for |
| | | terminal device interchange, cleaning, or servicing) |
| 3E38=9 | MyoHand VariPlus Speed with QD Wrist | L7007 + L6882 |
| 200 0 | | (L6629 may be added to the prosthesis for a lamination |
| | | |
| | | collar with coupling used for quick disconnect for terminal device interchange, cleaning, or servicing) |
| | | |
| 3E39=6 3E39=8 | System Electric Hand DMC Plus with Lamination Ring SensorHand Speed with Lamination Ring | L7007 + L6882 L7007 + L6881 + L6882 |
| 3E39=9 | · · · | L7007 + L6882 |
| | MyoHand VariPlus Speed with Lamination Ring | |
| 3E41=9 | MyoHand VariPlus Speed with Threaded Stud | L7007 + L6882 |
| 3E41=9 -F | MyoHand VariPlus Speed with Myoflex QD Wrist | L7007 + L6882 + L6621 |
| | | (L6629 may be added to the prosthesis for a laminatior |
| | | collar with coupling used for quick disconnect for |
| | | terminal device interchange, cleaning, or servicing) |
| BE44=6 | Transcarpal Hand DMC Plus with Lamination Plate | L7007 + L6882 |
| 3E44=6 -F | Transcarpal Hand DMC Plus with Myoflex QD Wrist | L7007 + L6882 + L6621 |
| | . , | (L6629 may be added to the prosthesis for a lamination |
| | | collar with coupling used for quick disconnect for |
| | | terminal device interchange, cleaning, or servicing) |
| | | |
| 3E500 | Michelangelo Hand | Private Payer: L7499 + L6882 + L6881 + L6629 + L6890 + |
| | | Wrist |
| | | (9S501 wrist=L6624), (9S503 wrist=L6624 + L7259 + |
| | | L6882) |
| 3E550 | Michelangelo Hand Transcarpal | Private Payer: L7499 + L6881 + L6882 + L6890 |
| 3E600 | AxonHook | Private Payer: L7499 + L6882 + L6881 + L6629 + Wrist |
| | | (9S501 wrist=L6624), (9S503 wrist=L6624 + L7259 + |
| | | L6882) |
| 3E70=* | bebionic Hand, EQD Wrist PDAC | L6880 |
| | Verified | L6629 may be added to the prosthesis for a lamination |
| | | collar with coupling used for quick disconnect for |
| | | terminal device interchange, cleaning, or servicing |
| | | PDAC Verified |
| 3E71=* | bebionic Hand, Short Wrist | L6880 |
| 5271- | Debionic Hand, Short Wrist PDAC Verifie | |
| BE72=* | bebionic Hand, Flex EQD Wrist PDAC | L6880 + L6621 |
| | Verified | L6629 may be added to the prosthesis for a lamination |
| | | collar with coupling used for quick disconnect for |
| | | terminal device interchange, cleaning, or servicing |
| | | PDAC Verified |
| | | |
| 3S710=* | Bebionic glove | L6890 |
| 3S711=* | Bebionic glove | L6890 |
| 95266 | Hand Chassis with Quick Disconnect Wrist | |
| 9\$317-2=1-6 | bebionic Modular replacement finger, Pinky | L7499 / L7510 (Check with payer for correct coding) See Coding and Billing Tips |
| 9\$317-2=1-7 | bebionic Modular replacement finger, Pinky | L7499 / L7510 (Check with payer for correct coding) |
| · | ······································ | See Coding and Billing Tips |
| 9\$317-2=2-6 | bebionic Modular replacement finger, Ring | L7499 / L7510 (Check with payer for correct coding) |
| | | See Coding and Billing Tips |
| 9\$317-2=2-7 | bebionic Modular replacement finger, Ring | L7499 / L7510 (Check with payer for correct coding) |
| | | See Coding and Billing Tips |
| 9S317-2=3-6 | bebionic Modular replacement finger, Middle | L7499 / L7510 (Check with payer for correct coding) |
| | | See Coding and Billing Tips |
| | | |
| 9\$317-2=3-7 | bebionic Modular replacement finger, Middle | L7499 / L7510 (Check with payer for correct coding) |

| Item | Description | Suggested HCPCS Coding: |
|-------------------------|---|---|
| 9S317-2=4-6 | bebionic Modular replacement finger, Pointing | L7499 / L7510 (Check with payer for correct coding) |
| | | See Coding and Billing Tips |
| 9S317-2=4-7 | bebionic Modular replacement finger, Pointing | L7499 / L7510 (Check with payer for correct coding) |
| | | See Coding and Billing Tips |
| 9S366-2=1-7 | bebionic Modular replacement finger, Pointing | L7499 / L7510 (Check with payer for correct coding) |
| | | See Coding and Billing Tips |
| 9S366-2=2-7 | bebionic Modular replacement finger, Pinky | L7499 / L7510 (Check with payer for correct coding) |
| | | See Coding and Billing Tips |
| 9S367-2=1-7 | bebionic Modular replacement finger, Middle | L7499 / L7510 (Check with payer for correct coding) |
| | | See Coding and Billing Tips |
| 9S367-2=2-7 | bebionic Modular replacement finger, Ring | L7499 / L7510 (Check with payer for correct coding) |
| | | See Coding and Billing Tips |
| 9S501 | AxonRotation - Passive | L6624 |
| 9S503 | AxonRotation – Active Rotation | L6624 + L7259 + L6882 |
| BB BATTERY-SPLIT CELL | Split cell battery | Replacement L7367 |
| Upper Extremity Pediati | ic | |
| 10R2 | Adapter | Included in base code |
| | | If used with ball shoulder joint (12S7) use L6650 |
| 10V51 | MyolinoWrist 2000 | L6621 |
| 12K12 | MovolinoArm Friction | Included in base code |
| 12K19 | Elbow Set-Up for Children | Included in base code |
| 1254 | Otto Bock Shoulder Joint | L6645 |
| 1257 | Otto Bock Ball Shoulder Joint | L6650 with Adapter |
| 8E51 | Electric Hand 2000 | L7008 + L6882 |
| 8K5 | Physolino Babyhand | L6703 |