

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 9 Language: en-US Date of print: 5/24/2018

# 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B Page: 1 of 7

## 1. Product and company identification

#### **Product identifier**

Trade name: 85P11/21/31 - Chlorosil Catalyst, Component B

This safety data sheet pertains to the following products:

Article No. 85P11: Chlorosil-Catalyst, Component B = no data available

Article No. 85P21: Chlorosil-Catalyst, Component B = colorless up to light yellow

Article No. 85P31: Chlorosil-Catalyst, Component B = no data available

#### Relevant identified uses of the substance or mixture and uses advised against

General use: Catalyst for HTV - Silicone, rollable, for orthopedic procedures

#### Details of the supplier of the safety data sheet

Company name: Otto Bock Health Care
Street/POB-No.: 3820 W. Great Lakes Drive
Postal Code, city: Salt Lake City, UT 84120

USA

WWW: www.ottobockus.com
Telephone: +1 (801) 956-2400
Telefax: +1 (801) 956-2401

Dept. responsible for information:

Quality Department,

Telephone: +1 (801) 954-2304 (7 AM – 3 PM, Mountain Time),

Email: USRegulatory@ottobock.com

Additional information: Corporate headquarters:

Ottobock SE & Co. KGaA Max-Näder-Straße 15

Duderstadt Germany

#### **Emergency phone number**

CHEMTREC, Telephone: +1 (800) 424-9300

#### 2. Hazards identification

#### **Emergency overview**

Appearance: Physical state at 68 °F and 101.3 kPa: solid

Color: refer to section 1 weak up to odorless

Classification: This material is classified as not hazardous.

#### Regulatory status

Odor:

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

#### Hazards not otherwise classified

see section 11: Toxicological information



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 9 Language: en-US Date of print: 5/24/2018

2 of 7

# 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B Page:

## 3. Composition / Information on ingredients

Chemical characterization: crepe rubber, Silicone

Additional information: Contains: silicon dioxide. The maximum workplace exposure limits are, where necessary,

listed in section 8.

#### 4. First aid measures

General information: In case of accident or if you feel unwell, seek medical advice immediately. First aider:

Pay attention to self-protection!

In case of inhalation: Move victim to fresh air. Seek medical attention.

Following skin contact: Remove residues with soap and water. Take off contaminated clothing and wash it before

reuse. Seek medical treatment in case of troubles.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart.

Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or

persistent symptoms, consult an opthalmologist.

After swallowing: Do not induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth

to an unconscious person. Seek medical attention.

#### Most important symptoms/effects, acute and delayed

No data available

#### Information to physician

Treat symptomatically.

## 5. Fire fighting measures

Flash point/flash point range:

not applicable

Auto-ignition temperature: No data available

Suitable extinguishing media:

Water spray jet, dry chemical powder, carbon dioxide, alcohol resistant foam.

Extinguishing media which must not be used for safety reasons:

Full water jet.

#### Specific hazards arising from the chemical

This product can generate small amounts of formaldehyde at approximately 150 °C and above in the presence of air.

In case of fire may be liberated: silicon dioxide, hydrocarbons, carbon monoxide and carbon dioxide.

Protective equipment and precautions for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Keep containers cool with water spray until well after the fire is out. Move undamaged

containers from immediate hazard area if it can be done safely. Evacuate area.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 9 Language: en-US Date of print: 5/24/2018

3 of 7

# 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B

6. Accidental release measures

Personal precautions: Provide fresh air. Avoid generation of dust. Avoid breathing dust. Avoid contact with eyes.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before

reuse

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.

Methods for clean-up: Take up mechanically, placing in appropriate containers for disposal.

## 7. Handling and storage

#### Handling

Advices on safe handling: Avoid contact with eyes. Wear appropriate protective equipment. Avoid generation of

dust. Do not breathe dust. Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation. Have eye wash bottle or eye rinse ready at work place. When using do not eat, drink or smoke. Take off contaminated clothing and wash it before

reuse.

#### Storage

Requirements for storerooms and containers:

Keep container tightly closed in a dry and well-ventilated place.

Protect from excessive heat.

Hints on joint storage: Do not store together with strong oxidizing agents.

## 8. Exposure controls / personal protection

#### **Exposure guidelines**

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
7631-86-9	Silicon dioxide	USA: NIOSH: TWA USA: OSHA: TWA	6 mg/m³ 20 mppcf
		USA: OSHA: TWA	80 mg/m³

#### **Engineering controls**

Ensure adequate ventilation, especially in confined areas.

See also information in chapter 7, section storage.

#### Personal protection equipment (PPE)

Eye/face protection Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI

Z87.1-2010.

Skin protection Wear suitable protective clothing.

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Respiratory protection: Respiratory protection is required when product is heated to 302 °F or above. The filter

class must be suitable for the maximum contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product.



Revision date: 3/22/2018 Version: 5/24/2018

4 of 7

# ottobock. 85P11/21/31 - Chlorosil Catalyst, Component B

General hygiene considerations:

Avoid contact with eyes.

Wash hands before breaks and after work.

Keep away from sources of ignition - No smoking.

Avoid generation of dust. Do not breathe dust. Have eye wash bottle or eye rinse ready at work place. When using do not eat, drink or smoke. Take off contaminated clothing and wash it before reuse.

## 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance: Physical state at 68 °F and 101.3 kPa: solid

Color: refer to section 1

Odor: weak up to odorless No data available Odor threshold:

pH value: not applicable Melting point/freezing point: No data available Initial boiling point and boiling range: not applicable Flash point/flash point range: not applicable Evaporation rate: not applicable No data available Flammability: No data available **Explosion limits:** Vapor pressure: not applicable Vapor density: No data available 1.1 - 1.2 g/cm<sup>3</sup> Density: Solubility: No data available No data available Partition coefficient: n-octanol/water: Auto-ignition temperature: No data available Thermal decomposition: No data available

Viscosity, dynamic: not applicable

Explosive properties: Product is not explosive.

Oxidizing characteristics: not oxidising

## 10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions

None known

Conditions to avoid: Protect from direct exposure to sunlight and temperatures exceeding 302 °F.

Incompatible materials: Strong oxidizing agents

Revision date: 3/22/2018 Version: 5/24/2018

5 of 7

# ottobock. 85P11/21/31 - Chlorosil Catalyst, Component B

Hazardous decomposition products:

This product can generate small amounts of formaldehyde at approximately 150 °C and

above in the presence of air.

Thermal decomposition: No data available

## 11. Toxicological information

#### Toxicological tests

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

## 12. Ecological information

#### **Ecotoxicity**

Further details: No data available

Mobility in soil

No data available

Persistence and degradability

Further details: No data available

#### Additional ecological information

Volatile organic compounds (VOC):

<3%

General information: Do not allow to penetrate into soil, waterbodies or drains.

with Qualisys SUMDAT printed by Otto Bock, Utah



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 9 Language: en-US Date of print: 5/24/2018

# 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B Page: 6 of 7

## 13. Disposal considerations

**Product** 

Recommendation: Incinerate according to applicable local, state and federal regulations.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be

recycled.

## 14. Transport information

**USA:** Department of Transportation (DOT)

Proper shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant:

Air transport (IATA)

Proper shipping name: Not restricted

**Further information** 

No dangerous good in sense of these transport regulations.

## 15. Regulatory information

National regulations - U.S. Federal Regulations

Product: TSCA: All ingredients are listed or need not be listed.

Silicon dioxide: Carcinogen Status:

IARC Rating: Group 3
OSHA Carcinogen: not listed
NTP Rating: not listed
NIOSH Recommendations:

Occupational Health Guideline: 0552

National regulations - Canada

DSL: All ingredients are listed or need not be listed.

National regulations - Great Britain

Hazchem-Code:



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 9 Language: en-US Date of print: 5/24/2018

# 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B Page: 7 of 7

### 16. Other information

Hazard rating systems:

0 1 0

NFPA Hazard Rating: Health: 0 (Minimal) Fire: 1 (Slight)

Reactivity: 0 (Minimal)
HMIS Version III Rating:
Health: 0 (Minimal)
Flammability: 1 (Slight)
Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

Reason of change: Changes in section 1.3: Corporate headquarters

Date of first version: 11/21/2006

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

