

Upper Limb Clinical Evidence

1. Amsuss S, Goebel P, Graimann B, Farina D. Simultaneous proportional wrist and hand control for natural dexterous movements of a physical prosthesis by amputees. MyoElectric Controls Symposium, Fredericton, New Brunswick. 2014 (August). [download](#)
2. Antfolk C, Cipriani C, Controzzi M, Carrozza MC, Lundborg G, Rosen B, Sebelius F. Using EMG for real-time prediction of joint angles to control a prosthetic hand equipped with a sensory feedback system. J Med Biol Eng. 2010;30 (6): 399-406. [download](#)
3. Atkins DJ. Comparison of the “perception of disability” in bilateral prosthetic wearers, bilateral hand transplants and bilateral toe-to-hand transfers. MyoElectric Controls Symposium, Fredericton, New Brunswick 2014 (August). [download](#)
4. Bayona C. A Subjective View to the Question of Sensation Versus Function; MyoElectric Controls Symposium, Fredericton, New Brunswick 2014 (August). [download](#)
5. Bouwsema H, Van Der Sluis CK, Bongers RM. Changes in performance over time while learning to use a myoelectric prosthesis. J Neuroeng Rehabil. 2014;11(1). DOI: 10.1186/1743-0003-11-16. [download](#)
6. Bouwsema H, Kyberd PJ, Hill W, van der Sluis CK, Bongers RM. Determining skill level in myoelectric prosthesis use with multiple outcome measures. J Rehabil Res Dev. 2012;49(9):1331-1348 [download](#)
7. Brouwers MAH, Roeling IEM, van Wikjk I, Mooibroek-Tieben EPH, Harmer-Bosgoed MW, Plettenburg DH. Development of a test prosthesis: An important tool in the decision making process in providing patients with an upper limb prosthesis. MyoElectric Controls Symposium, Fredericton, New Brunswick, 2014 (August). [download](#)
8. Cutti AG, Pareli, Luchetti M et al. Chapter 5: The psychosocial and biomechanical assessment of amputees fitted with commercial multi-grip prosthetic hands. In: Grasping the Future: Advances in Powered Upper Limb Prosthetics. Bentham Science Publisher (2012). [download](#)
9. Da Paz Jr. AC, Braga LW. Brain activation in a myoelectric prosthetic hand: The role of the brain in the rehabilitation of amputees. J Pediatr Orthop. 2007;27(8):947-951. [download](#)
10. Egermann M, Kasten P, Thomsen M. Myoelectric hand prostheses in very young children. Int Orthop. 2009;33(4)1101-1105. [download](#)
11. Esquenazi A. Amputation rehabilitation and prosthetic restoration. From surgery to community reintegration. 2004;26(14-15):831-836. [download](#)

Upper Limb Clinical Evidence

12. Esquenazi A; Meier RH. Rehabilitation in limb deficiency. 4: Limb Amputation; Arch Phys Med Rehabil. 1996;77(3);S18-S28. [download](#)
13. Geng Y, Zhou P, Li G. Toward attenuating the impact of arm positions on electromyography pattern-recognition based motion classification in transradial amputees. J Neuroeng Rehabil. 2012;9:74. doi:10.1186/1743-0003-9-74. [download](#)
14. Kannenberg A, Lundstrom R, Swanson Johnson S, and Morris A. Differences in multigrip myoelectric hands for facilitating activities of daily living. MEC20 Symposium, Jul. 2020. [download](#)
15. Kannenberg A, Proebsting E. Difficulty performing activities of daily living with the Michelangelo multigrip hand and traditional myoelectric hands. MyoElectric Controls Symposium, Fredericton, New Brunswick. 2014 (August). [download conference proceeding](#) [download webinar](#)
16. Kuiken TA, Li G, Lock BA et al. Targeted muscle reinnervation for real-time myoelectric control of multifunction artificial arms. JAMA. 2009; 301(6):619-628. [download](#)
17. Latour D. Upper Limb Prosthetic Rehabilitation Webinar Series: Introduction, Technology, Evaluation, Management; Occupational Therapy.com. Allied Media, April 2015.
18. Lindner HYN, Eliasson AC, Hermansson LMN. Influence of standardized activities on validity of assessment of capacity for myoelectric control. J Rehabil Res Dev. 2013;50(10):1391-1400. [download](#)
19. Lock BA, Cummins FD. Search engines for the world wide web: simplified approach to myoelectric and electrode placement for success in clinical pattern recognition. MyoElectric Controls Symposium, Fredericton, New Brunswick, 2014 (August). [download](#)
20. Lu TR, Zhang SJ. Functional training and evaluation of myoelectric hand. Chinese Journal of Clinical Rehabilitation. 2004;8(32):7320-7322.
21. Luchetti M, Cutti AG, Verni G, Sacchetti R, Rossi N. Impact of Michelangelo prosthetic hand: Findings from a crossover longitudinal study. J Rehabil Res Dev. 2015;52(5):6054-18 [download](#)
22. Lundstrom R, Morris A, Kannenberg A, Swanson-Johnson S. Ease of activities of daily living with multigrip myoelectric hands. Poster presented at: AOPA National Assembly; Sept, 2018; Vancouver, CA
23. Matrone GC, Cipriani C, Carrozza MC, Magenes G. Real-time myoelectric control of a multi-fingered hand prosthesis using principal components analysis. J Neuroeng Rehabil. 2012;9:40. doi:10.1186/1743-0003-9-40. [download](#)

Upper Limb Clinical Evidence

24. Meier R, Atkins D. Functional Restoration of Adults and Children with Upper Extremity Amputation. *Res Trends for the Twenty-First Century* 30: 353–360.
25. Meier R; Weed, RO. *Life Care Planning and Case Management Handbook, Second Edition*; 2005; 248-273.
26. Miguelez J, Ryan T. Redefining The Norm: Objective funding development in an ever changing payer environment; MyoElectric Controls Symposium, Fredericton, New Brunswick, 2014 (August). [download](#)
27. Murray CD. The social meanings of prosthesis use. *J Health Psychol* 2005;10: 425. [download](#)
28. Murray CD. Being like everybody else: the personal meanings of being a prosthesis user. *Disabil Rehabil.* 2009;31(7):573-581. [download](#)
29. Otr OV, Reinders-Messelink HA, Bongers RM, Bouwsema, H, Van Der Sluis CK. The i-LIMB hand and the DMC plus hand compared: A case report. *Prosthet Orthot Int.* 2010 Jun;34(2):216-20. doi: [download](#)
30. Proebsting E et al. Ease of activities of daily living with conventional and multigrip myoelectric hands; *JPO.* 2015;27(2):46-52. [download](#)
31. Pylatiuk C, Schulz S, Doderlein L. Results of an internet survey of myoelectric prosthetic hand users. *Prosthet Orthot Int.* 2007;31(4):362-370. [download](#)
32. Resnik L, Adams L, Borgia M, et al. Development and evaluation of the activities measure for upper limb amputees. *Arch Phys Med Rehabil* 2013;94(3):488-494. [download](#)
33. Segil JL, Huddle S, Weir RF. Functional assessment of transradial amputees with a myoelectric postural controller and multi-functional prosthetic hand. Myo-Electric Controls Symposium, Fredericton New Brunswick 2014 (August). [download](#)
34. Whelan L, Farley J. Functional outcomes with externally powered partial hand. *Journal of Prosthetics and Orthotics.* 2018 April; 30(2):69-73 doi: 10.1097/JPO.000000000000018. [download](#)
35. Wright V. Prosthetic outcome measures for use with upper limb amputees: a systematic review of the peer-reviewed literature, 1970 to 2009. *JPO.* 2009;21(4S):3-28. [download](#)
36. Whelan L, Wagner N, Farley J. Analysis of factors influencing outcomes of full and partial hand multi-articulating prostheses. MyoElectric Controls Symposium, Fredericton, New Brunswick, 2014 (August). [download](#)

Upper Limb Clinical Evidence

37. Vilarino M et al. Outcomes and perception of a conventional and alternative myoelectric control strategy: a study of experienced and new multiarticulating hand users. JPO. 2015;27(2)53-62. [download](#)
38. Young AJ, Smith LH, Rouse EJ, Hargrove LJ. A comparison of the real-time controllability of pattern recognition to conventional myoelectric control for discrete and simultaneous movements. J Neuroeng Rehabil. 2014 Jan 10;11:5. doi: 10.1186/1743-0003-11-5. [download](#)

Contact information:

Reimbursement, Ottobock North America
P 800 328 4058 F 800 962 2549
professionals.ottobockus.com
professionals.ottobock.ca
reimbursement911@ottobock.com